

In the claims:

1. (Currently amended) A method of stopping and extinguishing forest fires, comprising the steps of erecting at least one substantially vertical wall; ~~and making the wall of a fabric fire-resistant material by unrolling said roll~~ fire resistant material from a roll so as to erect said wall and configured so that when a forest fire reaches the wall it can be stopped ~~and/or~~ and extinguished, supporting said at least one wall on a plurality of supports extending over a whole height of said at least one wall.

2. (Original) A method as defined in claim 1; and further comprising erecting at least one further such wall composed of a fire resistant material, which is spaced at a predetermined distance from said first-mentioned wall.

Claim 3 cancelled.

?? Which corrections do you want made here?

4. (Currently amended) A method as defined in claim 1; and further comprising providing said at least one wall of a fire resistant material initially as a roll of said fire resistant material, said erecting includes unrolling of said roll of a fire resistant material so as to erect at said wall.

Claims 5-6 cancelled.

7. (Currently amended) A method as defined in claim 51; and further comprising bringing vegetation behind the at least one wall to the ground, ~~said and~~ applying includes applying the an anti-fire foam onto the vegetation brought to the ground.

8. (Currently amended) A method as defined in claim ~~47~~; and further comprising forming at least one trench, erecting includes placing the wall in the at least one trench.

9. (Currently amended) A system for stopping and extinguishing of forest fires, comprising at least one substantially vertical wall; said wall being made of a fabric fire-resistant material and unrolled from a roll so that when a forest fire reaches the wall it can be stopped ~~and/or~~and extinguished; and a plurality of supports which support said at least one wall.

10. (Original) A system as defined in claim 9; and further comprising at least one further such wall composed of a fire resistant material, which is spaced at a predetermined distance from said first mentioned wall.

Claims 11-13 cancelled.

14. (Currently amended) A system as defined in claim 11; ~~wherein the~~ and further comprising vegetation located behind the at least one wall ~~is~~and brought to the ground, ~~said the~~ and an anti-fire foam is applied onto the vegetation brought to the ground.

15. (Currently amended) A system as defined in claim ~~9~~14; and further comprising at least one trench, said wall is arranged in the at least one trench.